(7) **Today**

Sections 11:7 - 11:11: Elimination Reactions: E1, E2, E1cB

Section 17.6: Alcohols and Elimination Reactions

Next Class (8)

Sections 11.7 - 11.11: Elimination Reactions: E1, E2, E1cB

Competition between S_N1, E1, S_N2, and E2

Chap 12: Mass Spectrometry and Infrared Spectroscopy

(9) **Second Class from Today**

Chap 12: Mass Spectrometry and Infrared Spectroscopy

Third Class from Today (10)

Chap 13 : Nuclear Magnetic Resonance Spectroscopy



waiting for 1 molecule to ionize

empty p orbital on C+ draws e⁻ density away from neighboring σ bonds making β-H's more acidic



cross-cross bond shorthand for

The products can react and reform the intermediate Equilibrium rxn so product distribution is under thermodynamic control... most stable prod is major prod



alkenes react with acid





σ-bond

~~sp^2-sp^2~~

~~sp^2-sp^3~~

weaker sp^3-sp^3



σ-bonds

~~sp^3-sp^2~~

~~sp^2-sp^2~~

stronger sp^2-sp^3

33% s
67% p

25% s
75% p

Section 7.6: Stability of Alkenes



Higher E





Section 7.6: Stability of Alkenes





products don't react with each other

not an equilibrium

not under thermodynamic control

product distribution is under kinetic control

fastest forming product is major product

Et = ethyl = CH_2CH_3

Me = methyl = CH_3






β
Br
β
H
H
H
H
H
α
KOEt
Δ







+ KOEt

E2



+ H_2SO_4/H_3PO_4 (aq)

E1



antiperiplanar arrangement between β-C to β-H bond and the α-C to LG bond is required

rotate back C 120° clockwise





gauche interaction pushes up E of TS



Big base exception: big base can't get into crowded spots

Poor LG exception: LG doesn't leave quickly and changes the kinetics



Big base exception encourages formation of the less crowded alkene

F^- NR_3

not a great LG ... it is slow to leave



strong base

major

minor

F is supposed to carry away ⊖ but does it slowly so δ- builds up on β-C



δ- on 1° C is lower in E so this one forms more quickly



δ- on 3° C because e- density on neighbors repells δ- on β-C